

Barbed Suture Catalog





Operating as one. Focused on you.

Corza Medical is a medical device and biosurgery company with decades of experience delivering innovative products to the global surgical community. We are committed to providing an exceptional customer experience, high quality products and outstanding value.

Corza Medical's mission is to aid and champion the surgical community with outstanding products and remarkable service that save time, money and effort. We provide medical devices as well as biosurgery products and technologies that serve surgeons and their teams, distributors and OEM partners around the world.

With an expanding platform of industry-leading brands, our goal is to deliver an exceptional customer experience and outstanding value to the entire surgical community.




Table of Contents

Suture Configurations	3
Advanced Needle Technology	4
Needle Anatomy and Terminology	
Needle Chart	6
Needle Points and Cutting Edges	7
Materials Guide	8
Bi-Directional Sutures	
Monoderm [™] (PGA-PCL)	9-10
PDO (Polydioxanone)	11-12
Polypropylene	13
Uni-Directional Sutures	
Monoderm [™] (PGA-PCL)	15-17
PDO (Polydioxanone)	18-19
Polypropylene	20



Quill® Barbed Suture

Designed for knotless approximation.


We have a versatile and extensive line offered in bi-directional and uni-directional configurations. Available in Monoderm[™], PDO and Polypropylene materials.

We offer a variety of sizes from 5-0 to 2 that are fitted with premium needles for your wound closure needs.



Suture Configurations

Available in Monoderm[™], PDO and Polypropylene materials



Bi-Directional

Barbs are arranged in opposing directions on either side of a transitional unbarbed segment.

Uni-Directional

Barbs are arranged in a spiral along the suture and the adjustable loop design allows for easy needle placement.



Quill barbed sutures are fitted with premium surgical needles that are engineered for effortless control.

Materials, geometry, and coatings work together to produce a high performance surgical instrument.



Proprietary Stainless Steel Alloy

Quill needles are forged from an alloy of Iron, Nickel, and Chromium. Each element serves a role in delivering strength, ductility, and hardness.







Strength

Ductility

Hardness

Needle Terminology

Length: Distance measured along the circumference of the needle, from the point to the swage. It is depicted on the packaging.

Shape: Different surgeries or surgical techniques demand different needle shapes.

Point: The sharpened part of the needle that first penetrates the tissue. The point consists of the area from the sharpened tip of the needle to the widest cross section of the needle body. The point determines ease of penetration and the initial size and shape of the hole.


Swage: Connection point of the suture and the needle. Micro teeth grip the suture material and prevent it from slipping out.

Wire Diameter: Gauge or thickness of the wire originally used to form the needle body.


Body: The part between the point and the swage of the needle.

Included Angle (Curvature): The fraction of the circle included in the curve of the needle. This is depicted on the packaging.


Needle Anatomy




Needle Shapes and General Uses




Straight (aka: Keith): Skin Closure



3/8 Circle: Skin Closure



1/2 Circle: Skin Closure, GI, Cardiovascular




5/8 Circle: Robotics and Laparoscopic

Needle Chart

Note: Actual needle lengths can vary within +/- 1mm.

Precision Reverse Cutting Needles V



Taper Cutting Needles

Corza Medical	Ethicon™	Medtronic™	
			50mm
STC8		•	

Straight Cutting Needles ∇

Corza Medical	Ethicon™	Medtronic™	
TS	•	•	51mm
KS			61mm
	•		70mm
SC19	•	•	

Reverse Cutting Needles



Taper Point Needles

Corza Medical	Ethicon™	Medtronic™	
1/2 Circle			
RB-1	RB-1	CV-23	
SH-1	SH-1	CV-25	
SH	SH	V-20	
CT-2	CT-2	GS-22	
CT-1	CT-1	GS-21	
V-30	•	V-30	36mm
СТ	CT	GS-24X	30mm / 1
CTX	CTX	GC-25	40mm
TP-1	TP-1	GS-26	
			48mm
			65mm
5/8 Circle			
UR-6	UR-6	GU-46	
			26mm
S-18	•	•	33mm
SKI-23			

Needle Type	Point Geometry	Description	Commonly Used For
Reverse Cutting		Triangular point with cutting edge on the outer curvature	Skin closure, ligamentous or fibrous tissues
Precision Reverse Cutting	V	Triangular point with cutting edge on the outer curvature and precisioned for added sharpness	Primarily used in plastic surgery for delicate procedures and where a good cosmetic result is desired
Taper Point	0	Round shaft, straight or curved, taper point with no cutting edge	Soft tissue closure such as fascia, vascular, gastrointestinal, and most soft tissue below the skin
Taper Cutting		Four (4) cutting edges with a taper shaft	For penetration through tough tissue
Straight Cutting	abla	Reverse cutting tip on a straight shaft	General skin closure

Quill is the only barbed suture with true USP sizing

For example, when Quill is manufactured, it starts with a USP 2-0 suture thread, the thread is barbed, and finally it is labeled as a Quill 2-0.

Conversely, the competitor*, starts with a USP 2-0 suture thread, the thread is barbed, and is labeled as a 3-0.

Therefore, Quill 2-0 and the competitor 3-0 have the same thread diameter.

Thread		V-Loc™/ Stratafix™
Diameter	Quill USP Size	USP Size
0.60 mm	2	1
0.53 mm	1	0
0.45 mm	0	2-0
0.38 mm	2-0	3-0
0.30 mm	3-0	4-0
0.25 mm	4-0	5-0
0.17 mm	5-0	6-0

^{*}V-Loc $^{\text{TM}}$ and Stratafix $^{\text{TM}}$

Short-Term

Long-Term

Non-Absorbable

Material	Monoderm (PGA-PCL)	PDO (polydioxanone)	Polypropylene
Description	Monofilament Undyed (Clear) Dyed (Violet)	Monofilament Dyed (Violet)	Monofilament Undyed (Clear) Dyed (Blue)
BSR Profile	In vivo strength retention: 42% to 76% at 7 days 36% to 52% at 14 days	In vivo strength retention: 80% at 2 weeks 60% at 4 weeks 40% at 6 weeks	Polypropylene is not absorbed, nor is any significant change in tensile strength
Mass Absorption	Essentially complete between 90 and 120 days.	Minimal until approximately 120 days. Essentially complete by 180 days.	retention known to occur in vivo.

Comparable to V-Loc[™]-90

Comparable to V-Loc[™]-180


Comparable to V-Loc[™]-PBT

See Instructions For Use supplied with Quill barbed suture for indications, contraindications, warnings, and potential complications.

Monoderm is a synthetic absorbable monofilament. It has excellent pliability and handling characteristics and popular for subcuticular closure and soft tissue approximation.

PDO is a synthetic absorbable monofilament indicated for use in general soft tissue approximation and/or ligation but not for use in cardiovascular or neurological tissues, microsurgery or ophthalmic surgery.

Polypropylene is a synthetic non-absorbable monofilament suture. Tensile strength is superior to other true monofilaments. In addition, a unique extruding technique ensures a uniformly round cross section and a strand that passes easily through tissue.



^{*}As with traditional sutures, Quill barbed suture suze is determined by its OUTER diameter, it is therefore recommended that when using Quill barbed utures, you upsize by one USP compared with traditional suture. For example, if previously using a 3-0 traditional suture, we recommend using a 2-0 Quill barbed suture.

Monoderm (PGA-PCL) Bi-Directional ABSORBABLE

Precision Reverse Cutting $\mathbb {V}$	Length
---	--------

	Color	cm	in	5-0	4-0	3-0	2-0	0
P-1 11 mm 3/8 circle	Undyed	14 x 14	5×5	YA-2002Q	YA-2004Q	YA-1020Q		
P-3 13 mm 3/8 circle	Undyed	14 x 14	5×5	YA-2003Q	YA-2005Q			
		3×3	1x1			YA-1019Q	YA-1018Q	
		7×7	3×3			YA-1001Q-0	YA-1000Q	
	Undyed	14 x 14	5x5			YA-2016Q	YA-1012Q	YA-1004Q
		30 x 30	12 x 12			YA-2021Q	YA-2022Q	
PS-2 19 mm 3/8 circle		40 x 40	16 x 16			YA-2031Q	YA-2032Q	
		30 x 30	12 x 12			YA-2023Q	YA-2024Q	
PS-1 24 mm 3/8 circle	Undyed	40 x 40	16 x 16			YA-2033Q	YA-2034Q	
		7×7	3 x 3				YA-1011Q	YA-1010Q
	Undyed	14 x 14	5x5				YA-1015Q-0	
PS 26 mm 3/8 circle		30 x 30	12 x 12			YA-1023Q-0	YA-1024Q-0	

Reverse Cutting ▼		Ler	ngth					
	Color	cm	in	5-0	4-0	3-0	2-0	0
CP-2 26 mm 1/2 circle	Undyed	14 x 14	5x5					YA-1014Q
		36 x 36	14 x 14					YA-2036Q
CP-1 36 mm 1/2 circle	Undyed	45 x 45	18 x 18					YA-2035Q

Monoderm (PGA-PCL) Bi-Directional

ABSORBABLE

Taper Point •	Length
-----------------	--------

	Color	cm	in	4-0	3-0	2-0	0
	Undyed	16 x 16	6 x 6		RS-1001Q	VP-1000Q	
	Violet	10 x 10	4 x 4	RS-1010Q			
RB-1 17 mm 1/2 circle	Violet	16 x 16	6×6			VP-2000Q	
SH-1 22 mm 1/2 circle	Violet	16 x 16	6x6			RS-1004Q	
SH 26 mm 1/2 circle	Undyed	16 x 16	6×6			RS-1005Q	
		14 x 14	5x5				YA-1003Q
CT-1 36 mm 1/2 circle	Undyed	36 x 36	14 x 14				YA-1029Q

Straight Cutting ∇	Length
---------------------------	--------

	Color	cm	in	4-0	3-0	2-0	0				
SC19 ====================================	Undyed	30×30	12 x 12			YA-1050Q	YA-1051Q				

PDO (Polydioxanone) Bi-Directional ABSORBABLE

Precision Reverse Cutting \overline{V} Length

Frecision Reverse Outling V Length												
	Color	cm	in	4-0	3-0	2-0	0	1	2			
P-1 12 mm 3/8 circle	Violet	7×7	3x3		RA-1017Q							
		3x3	1x1		RA-1008Q	RA-1002Q						
	Violet	7×7	3×3	RA-1012Q-0	RA-1010Q	RA-1007Q						
	Violet	14 x 14	5x5		RA-1050Q-0	RA-1046Q						
PS-2 19 mm 3/8 circle		24 x 24	9×9		RA-1051Q-0	RA-1036Q-0						
PS-1 24 mm 3/8 circle	Violet	45 x 45	18 x 18				RA-1090Q					
		7×7	3x3			RA-1016Q	RA-1015Q					
	Violet	14 x 14	5x5		RA-1021Q	RA-1020Q-0	RA-1019Q-0					
PS 26 mm 3/8 circle		24 x 24	9x9		RA-1052Q-0	RA-1028Q-0	RA-1030Q-0					

Reverse Cutting ⁷	$\overline{\mathbf{V}}$	Length
Reverse Cutting	V	Length

	Color	cm	in	4-0	3-0	2-0	0	1	2
OS-2 19 mm 1/2 circle	Violet	14 x 14	5x5				RA-1001Q		
CP-2 26 mm 1/2 circle	Violet	14 x 14	5x5					RA-1004Q	RA-1006Q
	Violet	24 x 24	9×9		RA-1056Q-0			RA-1032Q	RA-1034Q
	<i>\\</i> '.	36 x 36	14 x 14				RX-2069Q		
CP-1 36 mm 1/2 circle	Violet	45 x 45	18 x 18				RX-2068Q		
	\ <i>I</i> '.	36 x 36	14 x 14						RX-1066Q
CP 40 mm 1/2 circle	Violet	45 x 45	18 x 18						RX-2066Q

^{*}As with traditional sutures, Quill barbed suture suze is determined by its OUTER diameter, it is therefore recommended that when using Quill barbed utures, you upsize by one USP compared with traditional suture. For example, if previously using a 3-0 traditional suture, we recommend using a 2-0 Quill barbed suture.

PDO (Polydioxanone) Bi-Directional ABSORBABLE

Taper Point		Len	igth						
	Color	cm	in	4-0	3-0	2-0	0	1	2
RB-1 17 mm 1/2 circle	Violet	7x7	3x3	RA-2070Q					
SH-1 22 mm 1/2 circle	Violet	14 x 14	5x5			RA-1086Q		RA-1088Q	
		10 x 10	4 x 4			RA-1077Q	RA-1078Q		
	Violet	14 x 14	5x5				RA-1079Q		
SH 26 mm 1/2 circle		40 x 40	16 x 16			RA-1057Q			
		7×7	3×3				RX-1068Q		
		14 x 14	5 x 5				RA-1000Q	RA-1003Q	RA-1005Q
<i>J</i>	Violet	24 x 24	9x9				RA-1029Q	RA-1031Q	RA-1033Q
		30 x 30	12 x 12					RA-1059Q	RA-1058Q
		36 x 36	14 x 14				RA-1067Q		RX-1062Q
CT-1 36 mm 1/2 circle		45 x 45	18 x 18				RA-2067Q		
		30 x 30	12 x 12				RA-1060Q		
CTX 48 mm 1/2 circle	Violet	36 x 36	14 x 14						RA-1065Q
		45 x 45	18 x 18						RA-2065Q
S-18 33 mm straight	Violet	10 x 10	4 x 4				RA-1085Q		

Taper Cutting 🖤	Len	gth

raper outling &		LCI	igtii						
	Color	cm	in	4-0	3-0	2-0	0	1	2
STC8 50 mm straight	Violet	7×7	3×3			RA-1013Q	RA-1023Q	RA-1024Q	

^{*}As with traditional sutures, Quill barbed suture suze is determined by its OUTER diameter, it is therefore recommended that when using Quill barbed utures, you upsize by one USP compared with traditional suture. For example, if previously using a 3-0 traditional suture, we recommend using a 2-0 Quill barbed suture.

Polypropylene Bi-Directional

NON-ABSORBABLE

Precision Reverse Cutting $ {\mathbb V} $		Ler	ngth				
	Color	cm	in	2-0	0	1	2
PS-2 19 mm 3/8 circle	Undyed	7x7	3x3	JA-1006Q			

Reverse Cutting V		Len	igth				
	Color	cm	in	2-0	0	1	2
CP-2 26 mm 1/2 circle	Undyed	14×14	5×5			JA-1005Q	JA-1001Q

Taper Point	Length										
	Color	cm	in	2-0	0	1	2				
SH-1 22 mm 1/2 circle	Undyed	14 × 14	5x5			JA-1050Q					
		24 x 24	9×9				JA-1007Q				
CT-1 36 mm 1/2 circle	Undyed	45 x 45	18 x 18				JA-2007Q				

Monoderm (PGA-PCL) Uni-Directional

ABSORBABLE

Taper Point

Length

Taper Politi 🖰		LCI	igtri			
	Color	cm	in	3-0	2-0	0
	1 111	15	6		VLM-2014	
	Undyed	20	8		VLM-1005	
		15	6	VLM-4013	VLM-2015	
RB-1	Violet	20	8		VLM-2005	
17 mm 1/2 circle		30	12		VLM-1021	
J.	Violet	20	8	VLM-1008		
18 mm 1/2 circle	violet	30	12	VLM-1009		
SKI-23 23mm SKI	Violet	23	9		VLM-2029	
		15	6		VLM-2017	VLM-2013
		20	8		VLM-2006	VLM-1222
	Violet	23	9	VLM-2031		
	,	30	12		VLM-2024	VLM-2021
		20	8		VLM-1006	
SH	Undyed	30	12			VLM-1013
26 mm 1/2 circle		45	18			VLM-1020
		15	6		VLM-1018	
	Violet	20	8		VLM-2019	
UR-6 26 mm 5/8 circle		23	9	VLM-2030		
V-30 30 mm 1/2 circle	Violet	23	9		VLM-2027	VLM-2020
		15	6		VLM-4028	
	Undyed	30	12		VLM-4029	
CT-2 26mm 1/2 circle		45	18		VLM-4030	

^{*}As with traditional sutures, Quill barbed suture suze is determined by its OUTER diameter, it is therefore recommended that when using Quill barbed utures, you upsize by one USP compared with traditional suture. For example, if previously using a 3-0 traditional suture, we recommend using a 2-0 Quill barbed suture.

Monoderm (PGA-PCL) Uni-Directional

Taper Point O		Ler	igth				
	Color	cm	in	4-0	3-0	2-0	0
	Violet	20	8				VLM-1025
	violet	30	12				VLM-1015
<i>[</i>		20	8				VLM-1024
		30	12				VLM-1014
CT-1	Undyed	45	18				VLM-2023
36 mm 1/2 circle		60	24				VLM-1003
CT 40mm 1/2 circle	Violet	70	28				VLM-1017
CTX 48mm 1/2 circle	Violet	45	18				VLM-4000

Precision Reverse Cutting V Length										
	Color	cm	in	4-0	3-0	2-0	0			
	l lo di co d	20	8	VLM-3001	VLM-3002					
P3 13 mm 3/8 circle	Undyed	30	12		VLM-3003					
		20	8	VLM-2007	VLM-3007	VLM-3009				
	l lo di co d	30	12	VLM-2008	VLM-3008	VLM-3010				
	Undyed	45	18		VLM-2018	VLM-2016				
PS-2 19 mm 3/8 circle		60	24		VLM-2004	VLM-2002				

Monoderm (PGA-PCL) Uni-Directional

ABSORBABLE

Precision Reverse Cutting V

	Color	cm	in	3-0	2-0	0
		20	8	VLM-1011		
		30	12	VLM-1012	VLM-1002	VLM-2022
DO 4	Undyed	45	18		VLM-2012	
PS-1 24 mm 3/8 circle		60	24		VLM-1001	
	Violet	20	8			VLM-1023
PS 26 mm 3/8 circle	Undyed	20	8			VLM-1022
PSL 30 mm 3/8 circle	Undyed	70	28			VLM-4031

Reverse Cutting

▼ Length

	Color	cm	in	3-0	2-0	0
CP-1 36 mm 1/2 circle	Violet	70	28			VLM-2040
CP 40 mm 1/2 circle	Undyed	70	28			VLM-1016

Straight Cutting V

	Color	cm	in	3-0	2-0	0
TS 51 mm	Undyed	45	18		VLM-2025	
KS 60 mm	Undyed	45	18		VLM-2028	

^{*}As with traditional sutures, Quill barbed suture suze is determined by its OUTER diameter, it is therefore recommended that when using Quill barbed utures, you upsize by one USP compared with traditional suture. For example, if previously using a 3-0 traditional suture, we recommend using a 2-0 Quill barbed suture.

PDO (Polydioxanone) Uni-Directional

Taper Point ● Length

inport out o			19111					
	Color	cm	in	3-0	2-0	0	1	2
	Violet	15	6	VLP-2046	VLP-2022	VLP-4109		
RB-1 17 mm 1/2 circle		20	8		VLP-2020			
		15	6		VLP-2050			
Л	\ /: - I - 4	20	8			VLP-1008		
SH-1	Violet	23	9				VLP-4149	
22 mm 1/2 circle		30	12		VLP-2002	VLP-1003		
SKI-23 23mm SKI	Violet	23	9		VLP-2041			
		15	6	VLP-2045	VLP-2021	VLP-2051		
		20	8	VLP-2043	VLP-2006	VLP-2008		
	Violet	23	9					VLP-4148
		30	12	VLP-2044	VLP-2033	VLP-2009		
SH 26 mm 1/2 circle		45	18		VLP-2039	VLP-2038		
	Violet	15	6		VLP-2052			
UR-6 26 mm 5/8 circle	VIOIEC	30	12				VLP-2053	

PDO (Polydioxanone) Uni-Directional

ABSORBABLE

Taper Point

Length

raper Point 😊		LCI	igtn				
	Color	cm	in	2-0	0	1	2
V-30 30 mm 1/2 circle	Violet	23	9	VLP-2049			
		15	6	VLP-4136			
		20	8	VLP-4137			
	Violet	23	9		VLP-4147		
CT 2		30	12		VLP-4135		
CT-2 26 mm 1/2 circle		70	28	VLP-4139	VLP-4140		
		15	6				VLP-2030
Л		20	8		VLP-1001	VLP-2028	VLP-2016
	Violet	30	12	VLP-2042	VLP-1002	VLP-2015	VLP-2032
CT-1		45	18	VLP-2040	VLP-1004	VLP-2014	VLP-2025
36 mm 1/2 circle		70	28		VLP-2012		VLP-2024
CT 40 mm 1/2 circle	Violet	70	28			VLP-2013	
Л		45	18			VLP-2034	VLP-2037
CTX 48 mm 1/2 circle	Violet	70	28				VLP-2010
	Violet	45	18			VLP-2036	
TP-1 65 mm 1/2 circle	violet	60	24				VLP-2031

PDO (Polydioxanone) Uni-Directional ABSORBABLE

Precision Reverse Cutting ∇	Length
------------------------------------	--------

	Color	cm	in	3-0	2-0	0	1	2
	\/:-1-+	20	8	VLP-3021				
P-3 13 mm 3/8 circle	Violet	30	12	VLP-3022				
		20	8	VLP-3026	VLP-3027			
	Violet	30	12	VLP-4132	VLP-3028			
PS-2 19 mm 3/8 circle		45	18	VLP-2029	VLP-2001			
		30	12		VLP-3029			
	Violet	45	18		VLP-2026			
PS-1 24 mm 3/8 circle		60	24		VLP-2027			
	Violet	20	8			VLP-1007		
PS 26 mm 3/8 circle	VIOICE	30	12			VLP-2005		

Reverse Cutting $\overline{\mathbb{V}}$	Length
---	--------

	Color	cm	in	3-0	2-0	0	1	2
		20	8			VLP-1005		
Л		30	12			VLP-1006		
	Violet	45	18			VLP-4138	VLP-4144	
CP-1		60	24			VLP-4143		
36 mm 1/2 circle		70	28				VLP-4146	
)	\	45	18					VLP-2019
CP 40 mm 1/2 circle	Violet	70	28					VLP-2011
OS-6 36 mm 1/2 circle	Violet	70	28			VLP-4142		
OS-8 40 mm 1/2 circle	Violet	60	24				VLP-4134	

Polypropylene Uni-Directional

NON-ABSORBABLE

Taper Point

Length

	Color	cm	in	2-0	0	1	2
Λ Π		15	6				
RB-1 17 mm 1/2 circle	Blue	30	12	VLO-4219			
	Undyed	15	6			VLO-1005	
		30	12		VLO-1001		
	Blue	15	6	VLO-4208	VLO-4207	VLO-4209	
		23	9				VLO-4225
SH-1 22 mm 1/2 circle		30	12		VLO-4214		
	Undyed	15	6		VLO-4220		
		15	6	VLO-1011	VLO-1012		
		23	9	VLO-1010			
	Blue	30	12	VLO-4215	VLO-4216		
SH 26 mm 1/2 circle		45	18			VLO-4218	
λ Π		15	6			VLO-4224	
	Blue	23	9		VLO-4203	VLO-4223	
CT-2 26 mm 1/2 circle		45	18			VLO-4222	
Л	Undyed	15	6			VLO-1004	VLO-1006
		20	8				VLO-1007
		45	18			VLO-1002	VLO-1003
		15	6			VLO-4205	VLO-4210
	Dlvo	20	8			VLO-4206	VLO-4211
	Blue	45	18			VLO-4212	VLO-4213
CT-1 36 mm 1/2 circle		70	28				VLO-4221

Notes _			



Quill® is also available through major healthcare distributors. For more information, visit corza.com

Corza Medical, 247 Station Drive, Suite NE1, Westwood, MA 02090, U.S.A. Phone: 610.404.3520 • 877.991.1110 (USA and Canada only) • Fax: 610.404.4010 All trademarks are owned by the company and its affiliates.

©2021 Corza Medical.

All Rights Reserved. COR-021 R12 12/21